

LED DISPLAY

HIGH QUALITY

LOW PRICE

HIGH PERFORMANCE

MADE-TO-ORDER

ACORN STADIUM

5	4	2	1	R	H	9	3	8	1	2	3	4	5	6	7	8	9	10	R	H	E	岡	3	5	2	4	7	8	1	6	9	P	松	島		
取	中	倉	田	田	川	島	崎	岡	北	岡	山	0	2	0	3	1	0	0	1	0	7	9	2	山	木	神	村	本	藤	尾	上	尾	山	I	庄	司
取	中	倉	田	田	川	島	崎	岡	北	岡	山	3	1	0	0	0	2	0	0	6	7	2	山	木	神	村	本	藤	尾	上	尾	山	II	田	川	
取	中	倉	田	田	川	島	崎	岡	北	岡	山	0	2	0	3	1	0	0	1	0	7	9	2	山	木	神	村	本	藤	尾	上	尾	山	III	瀬	川

0:30:42

S B O H E F C

Made to order LED Display

Dynamic Image on Super large LED Display

Made-to-order high quality display in Low price. Customizable to variety of sizes for all the needs.

20mm pitch

■ Panel (Carol Spec)	
Pitch size	20mm
1 Panel size	320×160mm
Pixels per panel	16×8 pixel (dots)
Light emitter	LED
LED Component (Color)	2R1P61B (LED-lamp)
Displayed luminous color	256x256x256 (US, TM)
Image input signal	DVI compatible (SXGA, XGA, VGA)
Structure	Sun visor with rain proof composition (outdoor use)

■ Module Spec	
Panel composition	W4 units x H 6 units
Display size	W1,280×H960mm
Outer structure size	W1,280×H960mm
Unit weight	80.0kg
Power consumption	1,000W/Maximum
Frequency	50/60hertz
Power supply	■#AC200V
Water proof standard	IP65
Maintenance	Before or After

■ Baseball score display spec as a example (large image on right)	
Display completion	W15×H2 unit
Display area	36.884㎡
Outer Structure size	W19,200×H1,920mm
Total Weight	2,400.0kg
Power consumption	Approx.37kw/m ² Max
Power supply	AC200V

With our improved easy to use software, you can save time and money dramatically.

■ Control system

PC & Controller (sending card)
Broadcasting software control system
PC OS requirement (Win7 or later)
Software used (LED Studio)

■ Converter

Cable (LAN)


■ Optical Fiber connector (※)

Optical Fiber (※)



LED Display

※ For long distance data transfer using optical fiber cable.



LOW PRICE

With our strict quality control method, we managed to keep the quality high and bring the price down.

Adjustable size

Size of the screen can be customized for each order.
Indoor use: 6 - 10mm pitch
Outdoor use: 16 - 49mm pitch

50,000 hours

LED lasts for approximately 50,000 hours.
This is about 7 times longer than the normal lights.

Power consumption 1/3

LED Lights running cost is 1/3 of normal lighting.

Aftercare support

Follow up services provided later delivery of goods

Ecological

Low power consumption and long lasting. LED is the ecological choice.



イメージオーダー LEDディスプレイ


EASY-ORDER LED DISPLAY



6mm pitch

High resolution LED Display Stand
Can be displayed vertically or horizontally.

■ Specs	
Pitch size	6mm
LED composition	3-in-1 SMD
Pixel density	27777/㎡
Screen resolution	192×256
Screen size	W1,152×H1,536mm
Outer structure size	W1,281×H2,031mm
Weight	100kg
Saturation	4,000cd/㎡
Power consumption	1,200W average (3,450W max)
Frequency	50/60hertz
Power supply	AC220/100V




20mm pitch

Mid-size LED Display for mounting on high places.



20mm pitch

Small size LED Display



25mm pitch

Wall mounted dynamic large LED Display

■ Panel Spec	
Pitch size	25mm
1 panel size	400×200mm
Pixels per panel	8×8 pixel
Light emitter	LED
LED color	2R1P61B (LED-lamp)
Displayed luminous color	256x256x256 (16.7M)
Image input signal	DVI compatible (SXGA, XGA, VGA)
Structure	Sun visor with rain proof composition (outdoor use)

■ Module Spec	
Panel composition	W2R×H4R
Display size	W800×H800mm
Outer structure size	W800×H800mm
Unit weight	50.0kg
Power consumption	650W/Maximum
Frequency	50/60hertz
Power supply	AC200V/150V
Water proof standard	IP65
Maintenance	Before or After


We offer wide range of LED products




LINEUP

Fluorescent Lamp type LED

FLUORESCENT LAMP TYPE




High Quality lamps with great follow up services.



1 year warranty

Product type	LED fluorescent lamp (40W)		LED fluorescent lamp (20W)	
Product code	LND40A	LND40B	LND20A	LND20B
Tube type	Clear	Milky white	Clear	Milky white
Illuminance	typ 500lx	typ 400lx	typ 330lx	typ 250lx
Power Input	AC100V±10%		AC200V±10%	
Power consumption	typ 18W		typ 9W	
Material	Polycarbonate			



Bulb type

BULB TYPE

We have wide range of products to meet every needs.



Product #	G60 (40W)
Power consumption	3.6W
Color	cold white
LED Chip	SHARP
Dimension	Φ60*160
Cover type	Honey comb
Lumen	220~250
Mass	N.W:133/pc
pcs/ctn	Pcs/Ctn
Variety	WW/CW/R/G/B/Y



Street Light type

STREETLIGHT TYPE



Performance Lighting type

PERFORMANCE LIGHTING TYPE

Variety of performance Lights for both indoor and outdoor.



Please contact us for more details and latest product information.
Email: sales@sunluck-international.com